



Usage Guideline

DRAFT5auth.031.001.01_ESMAUG_NationalReporting_1.0.0

MiFIR - Transaction Data - Reporting

This document describes a usage guideline restricting the base message DRAFT5auth.031.001.01. You can also consult this [information online](#).

Published by ESMA and generated by [MyStandards](#).

31 January 2017

Table of Content	2
Message Functionality	3
About this document	4
Usage Guideline	5
Legal Notices	7

Message Functionality

Collection Description

MiFIR - Transaction Data - Reporting ([link](#))

Usage Guideline Description

DRAFT5auth.031.001.01_ESMAUG_NationalReporting_1.0.0 ([link](#))

The FinancialInstrumentReportingStatusAdvice message is sent by the national competent authority to the reporting agent to provide a status advice for the correctness, issues or errors that arise from the submitted report.

Outline

The DRAFT5auth.031.001.01_ESMAUG_NationalReporting_1.0.0 message is composed of 1 building blocks

a - Status Advice

Status advice report.

About this document

Legend

Abbreviation	Term	Description
X	Excluded	An optional field or element must not be populated.
I	Ignored	A field or element could be populated but is ignored by the receiver.
[x..y]	Multiplicity	A field or element multiplicity has changed.
FV	Fixed Value	A field or element must contain a given value.
T/C	Type / Code Change	A user-defined datatype replaces an existing simple datatype.
A	Element Added	A field or element has been added.

Header	Description
Index	Element reference
LvL	Element nesting in tree hierarchy
Name	Element name
XML Tag	Element XML tag
Mult	Element multiplicity
Type / Code	Element formatting
Rest	Restriction type
Additional details	Other restriction specifics

Type/Code Notation	Describes the Element	Examples
text{m,M}	minimum (m) and maximum (M) length	text{1,35}
text{L}	maximum (L) length, minimum length is 0	test{10}
m <= decimal <= M	minimum (m) and maximum (M) values	0.01 <= decimal <= 9999.99
fd = F, td = T	maximum fractional (F) and total (T) number of digits	fd = 2, td = 11
<<regular expression>>	regular expression pattern	[A-Z]{6,6}([A-Z0-9]{3,3}){0,1}

Index	Lvl	Name	XML Tag	Mult	Type / Code	Restr	Additional details
	0	Financial Instrument Reporting Status Advice V01 (DRAFT5auth.031.001.01)	<FinInstrmRptgStsAdv>				
	1	Status Advice	<StsAdv>	[1..*]			
	2	Message Report Identifier	<MsgRptldr>	[0..1]	text{1,35}		
	2	Message Status	<MsgSts>	[1..1]			
	3	Report Status	<RptSts>	[1..1]	text		
	4	Corrupted File			CRPT		
	4	Incorrect Filename			INCF		
	4	Partially Accepted			PART		
	4	Received			RCVD		
	4	Reminder			RMDR		
	4	Accepted			ACPT		
	4	Rejected			RJCT		
	4	Warning			WARN		
	3	Validation Rule	<VldtnRule>	[0..*]			
	4	Identification	<Id>	[1..1]	text{1,35}		
	4	Description	<Desc>	[0..1]	text{1,350}	[1..1]	
	4	Scheme Name	<SchmeNm>	[0..1]	Choice		
	5	Code	<Cd>	[1..1]	text{1,4}		
	5	Proprietary	<Prtry>	[1..1]	text{1,35}		
	4	Issuer	<Issr>	[0..1]	text{1,35}		
	3	Reference Date	<RefDt>	[0..1]	date	X	
	3	Statistics	<Sttstcs>	[0..1]			
	4	Total Number Of Records	<TtlNbOfRcrds>	[1..1]	text [0-9]{1,15}		
	4	Number Of Records Per Status	<NbOfRcrdsPerSts>	[1..*]			
	5	Detailed Number Of Transactions	<DtldNbOfTxs>	[1..1]	text [0-9]{1,15}		
	5	Detailed Status	<DtldSts>	[1..1]	text		
	6	Warning			WARN	X	
	6	Rejected After Pending			RJPD	X	
	6	Accepted After Pending			ACPD	X	
	6	Pending			PDNG		
	6	Accepted			ACPT		
	6	Rejected			RJCT		
	6	Received			RCVD		
	2	Record Status	<RcrdSts>	[0..*]			

Index	Lvl	Name	XML Tag	Mult	Type / Code	Restr	Additional details
	3	Original Record Identification	<OrgnlRcrdId>	[1..1]	text{1,140}		
	3	Status	<Sts>	[1..1]	text		
	4	Warning			WARN	X	
	4	Rejected After Pending			RJPD	X	
	4	Accepted After Pending			ACPD	X	
	4	Pending			PDNG		
	4	Accepted			ACPT		
	4	Rejected			RJCT		
	4	Received			RCVD		
	3	Validation Rule	<VldtnRule>	[0..*]			
	4	Identification	<Id>	[1..1]	text{1,35}		
	4	Description	<Desc>	[0..1]	text{1,350}	[1..1]	
	4	Scheme Name	<SchmeNm>	[0..1]	Choice		
	5	Code	<Cd>	[1..1]	text{1,4}		
	5	Proprietary	<Prtry>	[1..1]	text{1,35}		
	4	Issuer	<Issr>	[0..1]	text{1,35}		
	3	Supplementary Data	<SplmtryData>	[0..*]		X	
	2	Supplementary Data	<SplmtryData>	[0..*]		X	
	1	Supplementary Data	<SplmtryData>	[0..*]		X	

Legal Notices

Copyright

SWIFT SCRL © 2017. All rights reserved.

This material is a component of MyStandards, the SWIFT collaborative Web application used to manage standards definitions and industry usage. It can only be used and distributed in accordance with MyStandards Terms of Use.

Unless otherwise agreed in writing with SWIFT SCRL, you have no right to:

- authorise external end users to use this component for other purposes than their internal use.
- remove, alter, cover, obfuscate or cancel from view any copyright or other proprietary rights notices appearing in this physical medium.
- re-sell or authorise another party e.g. software and service providers, to re-sell this component.

Confidentiality

This publication may contain SWIFT or third-party confidential information. Only disclose it outside your organisation in accordance with MyStandards Terms of Use and your related license rights.

This component is provided 'AS IS'. SWIFT does not give and excludes any express or implied warranties with respect to this component such as but not limited to any guarantee as to its quality, supply or availability.

Any and all rights, including title, ownership rights, copyright, trademark, patents, and any other intellectual property rights of whatever nature in this component will remain the exclusive property of SWIFT or its licensors.

Trademarks and Patents

SWIFT is the trade name of S.W.I.F.T. SCRL. The following are registered trademarks of SWIFT:

SWIFT, the SWIFT logo, 3SKey, Innotribe, Sibos, SWIFTNet, MyStandards, SWIFTReady, and Accord. Other product, service, or company names in this publication are trade names, trademarks, or registered trademarks of their respective owners..