

## Message structure: Account instruction status (acmt.sta.001.02)

### Description:

Message sent from the KDPW system in response to account instructions. Message presents the status of sent instructions and possibly the error code and reason.

### Structure:

No.	or	< XML Tag >	Name	Multiplicity	Type
0		<a href="#">KDPWDocument</a>	KDPW system message	[1..1]	<a href="#">KDPWDocument</a>
0.1		<a href="#">acmt.sta.001.02</a>	Account instruction status	[1..n]	<a href="#">acmt.sta.001.02</a>
1		<a href="#">GnlInf</a>	General information	[1..1]	<a href="#">GeneralInformation</a>
1.1		<a href="#">SndrMsgRef</a>	Sender message reference	[1..1]	<a href="#">Max16Text</a>
1.2		<a href="#">FuncOfMsg</a>	Function of message	[1..1]	<a href="#">FunctionOfMessage</a>
1.3		<a href="#">CreDtTm</a>	Creation date and time	[0..1]	<a href="#">DateAndDateTimeChoice</a>
1.3.1	{ or	<a href="#">Dt</a>	Date	[1..1]	<a href="#">ISODate</a>
1.3.2	or }	<a href="#">DtTm</a>	Date and time	[1..1]	<a href="#">ISODateTime</a>
1.4		<a href="#">Lnk</a>	Linkages	[0..1]	<a href="#">Linkages</a>
1.4.1		<a href="#">RltdRef</a>	Previous message reference	[1..1]	<a href="#">Max16Text</a>
2		<a href="#">OprDtls</a>	Operation details	[0..1]	<a href="#">OperationDetails</a>
2.1		<a href="#">OprCd</a>	Operation code	[1..1]	<a href="#">Code4Text</a>
3		<a href="#">AcctDtls</a>	Account details	[1..1]	<a href="#">AccountDetails</a>
3.1		<a href="#">AcctOwnr</a>	Member - account owner	[1..1]	<a href="#">KDPWMemberIdentifier</a>
3.2		<a href="#">FrmlAcctInf</a>	Formal account information	[1..1]	<a href="#">FormalAccountInformation</a>
3.2.1		<a href="#">OwnrTp</a>	Owner type	[1..1]	<a href="#">Max1Text</a>
3.2.2		<a href="#">MmbTp</a>	Member type	[1..1]	<a href="#">Max2Text</a>
3.2.3		<a href="#">ReprAgrmntId</a>	Representation agreement identifier	[1..1]	<a href="#">Max2Text</a>
3.2.4		<a href="#">LglBase</a>	Legal base	[0..1]	<a href="#">Max16TextCollapse</a>

3.3	<u>RglrAcctInf</u>	Regular account information	[0..1]	<u>RegularAccountInformation</u>
3.3.1	<u>AcctTp</u>	Account type	[1..1]	<u>Max2Text</u>
3.3.2	<u>ClntTp</u>	Client classification number (NKK)	[0..1]	<u>Max8Text</u>
3.3.3	<u>PrtfNb</u>	Portfolio number	[0..1]	<u>Max2Text</u>
3.3.4	<u>AcctId</u>	Account identifier	[0..1]	<u>Max16TextCollapse</u>
3.3.5	<u>AcctNm</u>	Account name	[0..1]	<u>Max16TextCollapse</u>
3.3.6	<u>PrtlSttlmInd</u>	Partial settlement indicator	[0..1]	<u>SettlementTransactionCondition5Code</u>
4	<u>Sts</u>	Status	[1..1]	<u>Status</u>
4.1	<u>StsCd</u>	Status code	[1..1]	<u>Code4Text</u>
4.2	<u>Rsn</u>	Reason	[0..1]	<u>Reason</u>
4.2.1	<u>RsnCd</u>	Reason code	[0..1]	<u>Code4Text</u>
4.2.2	<u>RsnTxt</u>	Reason text	[0..1]	<u>Max140Text</u>

## Message component elements:

<b>KDPWDocument- KDPW system message (element)</b>	
<b>Description</b>	KDPW system message
<b>Type</b>	<u>KDPWDocument</u>
<b>Source</b>	<xs:element name="KDPWDocument" type="KDPWDocument" />
<b>AccountDetails- Clearing account (complex type)</b>	
<b>Description</b>	Clearing account details
<b>Component elements</b>	<u>AcctOwnr</u> <u>FrmlAcctInf</u> <u>RglrAcctInf</u> {0,1}
<b>Source</b>	<pre>&lt;xs:complexType name="AccountDetails" &gt;   &lt;xs:sequence &gt;     &lt;xs:element name="AcctOwnr" type="KDPWMemberIdentifier" /&gt;     &lt;xs:element name="FrmlAcctInf" type="FormalAccountInformation" /&gt;     &lt;xs:element name="RglrAcctInf" type="RegularAccountInformation" minOccurs="0" /&gt;   &lt;/xs:sequence&gt; &lt;/xs:complexType&gt;</pre>
<b>AccountDetails/AcctOwnr- Member - account owner (element)</b>	

<b>Description</b>	Member - account owner KDPW identifier
<b>Type</b>	<a href="#">KDPWMemberIdentifier</a>
<b>Source</b>	<xs:element name="AcctOwnr" type="KDPWMemberIdentifier" />
<b>AccountDetails/FrmlAcctInf- Formal account information (element)</b>	
<b>Description</b>	Formal account information
<b>Type</b>	<a href="#">FormalAccountInformation</a>
<b>Source</b>	<xs:element name="FrmlAcctInf" type="FormalAccountInformation" />
<b>AccountDetails/RglrAcctInf- Regular account information (element)</b>	
<b>Description</b>	Regular account information
<b>Type</b>	<a href="#">RegularAccountInformation</a>
<b>Source</b>	<xs:element name="RglrAcctInf" type="RegularAccountInformation" minOccurs="0" />
<b>Code4Text- Qualifier (simple type)</b>	
<b>Description</b>	Qualifier, code
<b>Type</b>	Derivative of type: xs:string
<b>Format</b>	Min. length=4 Max. length=4
<b>Source</b>	<pre>&lt;xs:simpleType name="Code4Text" &gt;   &lt;xs:restriction base="xs:string" &gt;     &lt;xs:whiteSpace value="collapse" /&gt;     &lt;xs:minLength value="4" /&gt;     &lt;xs:maxLength value="4" /&gt;   &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt;</pre>
<b>DateAndDateTimeChoice- Date and time (complex type)</b>	
<b>Description</b>	Date and time
<b>Component elements</b>	<a href="#">Dt</a> <a href="#">DtTm</a>
<b>Source</b>	<pre>&lt;xs:complexType name="DateAndDateTimeChoice" &gt;   &lt;xs:sequence &gt;     &lt;xs:choice &gt;       &lt;xs:element name="Dt" type="ISODate" /&gt;       &lt;xs:element name="DtTm" type="ISODateTime" /&gt;     &lt;/xs:choice&gt;   &lt;/xs:sequence&gt; &lt;/xs:complexType&gt;</pre>
<b>DateAndDateTimeChoice/Dt- Date (element)</b>	

<b>Description</b>	Date
<b>Type</b>	<a href="#">ISODate</a>
<b>Source</b>	<code>&lt;xs:element name="Dt" type="ISODate" /&gt;</code>
<b>DateAndDateTimeChoice/DtTm- Date and time (element)</b>	
<b>Description</b>	Date and time
<b>Type</b>	<a href="#">ISODateTime</a>
<b>Source</b>	<code>&lt;xs:element name="DtTm" type="ISODateTime" /&gt;</code>
<b>FormalAccountInformation- Formal account information (complex type)</b>	
<b>Description</b>	Formal account information
<b>Component elements</b>	<a href="#">OwnrTp</a> <a href="#">MmbTp</a> <a href="#">ReprAgrmntId</a> <a href="#">LglBase</a> {0,1}
<b>Source</b>	<pre>&lt;xs:complexType name="FormalAccountInformation" &gt;   &lt;xs:sequence &gt;     &lt;xs:element name="OwnrTp" type="Max1Text" /&gt;     &lt;xs:element name="MmbTp" type="Max2Text" /&gt;     &lt;xs:element name="ReprAgrmntId" type="Max2Text" /&gt;     &lt;xs:element name="LglBase" type="Max16TextCollapse" minOccurs="0" /&gt;   &lt;/xs:sequence&gt; &lt;/xs:complexType&gt;</pre>
<b>FormalAccountInformation/OwnrTp- Owner type (element)</b>	
<b>Description</b>	Owner type, e.g., proprietary, client, securities account.
<b>Type</b>	<a href="#">Max1Text</a>
<b>Source</b>	<code>&lt;xs:element name="OwnrTp" type="Max1Text" /&gt;</code>
<b>FormalAccountInformation/MmbTp- Member type (element)</b>	
<b>Description</b>	Member type
<b>Type</b>	<a href="#">Max2Text</a>
<b>Source</b>	<code>&lt;xs:element name="MmbTp" type="Max2Text" /&gt;</code>
<b>FormalAccountInformation/ReprAgrmntId- Representation agreement identifier (element)</b>	
<b>Description</b>	Representation agreement identifier
<b>Type</b>	<a href="#">Max2Text</a>
<b>Source</b>	<code>&lt;xs:element name="ReprAgrmntId" type="Max2Text" /&gt;</code>
<b>FormalAccountInformation/LglBase- Legal base (element)</b>	
<b>Description</b>	Legal base

<b>Type</b>	<a href="#">Max16TextCollapse</a>				
<b>Source</b>	<xs:element name="LglBase" type="Max16TextCollapse" minOccurs="0" />				
<b>FunctionOfMessage- Function of message(simple type)</b>					
<b>Description</b>	Function of message				
<b>Type</b>	Derivative of type: xs:string				
<b>Format</b>	<table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>NEWM</td> <td>New message</td> </tr> </tbody> </table>	Code	Description	NEWM	New message
Code	Description				
NEWM	New message				
<b>Source</b>	<pre>&lt;xs:simpleType name="FunctionOfMessage" &gt;   &lt;xs:restriction base="xs:string" &gt;     &lt;xs:enumeration value="NEWM" /&gt;   &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt;</pre>				
<b>GeneralInformation- General information (complex type)</b>					
<b>Description</b>	General information				
<b>Component elements</b>	<a href="#">SndrMsgRef</a> <a href="#">FuncOfMsg</a> <a href="#">CreDtTm</a> {0,1} <a href="#">Lnk</a> {0,1}				
<b>Source</b>	<pre>&lt;xs:complexType name="GeneralInformation" &gt;   &lt;xs:sequence &gt;     &lt;xs:element name="SndrMsgRef" type="Max16Text" /&gt;     &lt;xs:element name="FuncOfMsg" type="FunctionOfMessage" /&gt;     &lt;xs:element name="CreDtTm" type="DateAndDateTimeChoice" minOccurs="0" /&gt;     &lt;xs:element name="Lnk" type="Linkages" minOccurs="0" /&gt;   &lt;/xs:sequence&gt; &lt;/xs:complexType&gt;</pre>				
<b>GeneralInformation/SndrMsgRef- Sender message reference (element)</b>					
<b>Description</b>	Sender message reference				
<b>Type</b>	<a href="#">Max16Text</a>				
<b>Source</b>	<xs:element name="SndrMsgRef" type="Max16Text" />				
<b>GeneralInformation/FuncOfMsg- Function of message(element)</b>					
<b>Description</b>	Function of message				
<b>Type</b>	<a href="#">FunctionOfMessage</a>				
<b>Source</b>	<xs:element name="FuncOfMsg" type="FunctionOfMessage" />				
<b>GeneralInformation/CreDtTm- Creation date and time (element)</b>					
<b>Description</b>	Creation date and time				
<b>Type</b>	<a href="#">DateAndDateTimeChoice</a>				

<b>Source</b>	<code>&lt;xs:element name="CreDtTm" type="DateAndDateTimeChoice" minOccurs="0" /&gt;</code>									
<b>GeneralInformation/Lnk- Linkages (element)</b>										
<b>Description</b>	Linkages to other messages									
<b>Type</b>	<a href="#">Linkages</a>									
<b>Source</b>	<code>&lt;xs:element name="Lnk" type="Linkages" minOccurs="0" /&gt;</code>									
<b>ISODate- Date (simple type)</b>										
<b>Description</b>	Date									
<b>Type</b>	Derivative of type: xs:date									
<b>Format</b>										
<b>Source</b>	<code>&lt;xs:simpleType name="ISODate" &gt;  &lt;xs:restriction base="xs:date" &gt;  &lt;/xs:restriction&gt;  &lt;/xs:simpleType&gt;</code>									
<b>ISODateTime- Date and time (simple type)</b>										
<b>Description</b>	Date and time									
<b>Type</b>	Derivative of type: xs:dateTime									
<b>Format</b>										
<b>Source</b>	<code>&lt;xs:simpleType name="ISODateTime" &gt;  &lt;xs:restriction base="xs:dateTime" &gt;  &lt;/xs:restriction&gt;  &lt;/xs:simpleType&gt;</code>									
<b>KDPWDocument- KDPW system message (complex type)</b>										
<b>Description</b>	KDPW system message									
<b>Attributes</b>	<table border="0"> <thead> <tr> <th>Name</th> <th>Description</th> <th>Type</th> </tr> </thead> <tbody> <tr> <td>Sndr</td> <td>Sender</td> <td><a href="#">KDPWMemberIdentifier</a></td> </tr> <tr> <td>Rcvr</td> <td>Receiver</td> <td><a href="#">KDPWMemberIdentifier</a></td> </tr> </tbody> </table>	Name	Description	Type	Sndr	Sender	<a href="#">KDPWMemberIdentifier</a>	Rcvr	Receiver	<a href="#">KDPWMemberIdentifier</a>
Name	Description	Type								
Sndr	Sender	<a href="#">KDPWMemberIdentifier</a>								
Rcvr	Receiver	<a href="#">KDPWMemberIdentifier</a>								
<b>Component elements</b>	<a href="#">acmt.sta.001.02</a> { 1,unbounded }									
<b>Source</b>	<code>&lt;xs:complexType name="KDPWDocument" &gt;  &lt;xs:sequence &gt;  &lt;xs:element name="acmt.sta.001.02" type="acmt.sta.001.02"  maxOccurs="unbounded" /&gt;  &lt;/xs:sequence&gt;  &lt; xs:attribute name="Sndr" type="KDPWMemberIdentifier" use="required" /&gt;  &lt; xs:attribute name="Rcvr" type="KDPWMemberIdentifier" use="required" /&gt;  &lt;/xs:complexType&gt;</code>									
<b>KDPWDocument/acmt.sta.001.02- Account instruction status (element)</b>										
<b>Description</b>	Account instruction status									

<b>Type</b>	<a href="#">acmt.sta.001.02</a>
<b>Source</b>	<code>&lt;xs:element name="acmt.sta.001.02" type="acmt.sta.001.02" maxOccurs="unbounded" /&gt;</code>
<b>KDPWMemberIdentifier- KDPW member identifier (simple type)</b>	
<b>Description</b>	KDPW member identifier
<b>Type</b>	Derivative of type: xs:string
<b>Format</b>	Min. length=4 Max. length=4
<b>Source</b>	<code>&lt;xs:simpleType name="KDPWMemberIdentifier" &gt;   &lt;xs:restriction base="xs:string" &gt;     &lt;xs:whiteSpace value="collapse" /&gt;     &lt;xs:minLength value="4" /&gt;     &lt;xs:maxLength value="4" /&gt;   &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt;</code>
<b>Linkages- Linkages (complex type)</b>	
<b>Description</b>	Linkages to other messages
<b>Component elements</b>	<a href="#">RltdRef</a>
<b>Source</b>	<code>&lt;xs:complexType name="Linkages" &gt;   &lt;xs:sequence &gt;     &lt;xs:element name="RltdRef" type="Max16Text" /&gt;   &lt;/xs:sequence&gt; &lt;/xs:complexType&gt;</code>
<b>Linkages/RltdRef- Previous message reference (element)</b>	
<b>Description</b>	Previous account instruction message reference.
<b>Type</b>	<a href="#">Max16Text</a>
<b>Source</b>	<code>&lt;xs:element name="RltdRef" type="Max16Text" /&gt;</code>
<b>Max1Text- Text (simple type)</b>	
<b>Description</b>	Maximum 1 character text
<b>Type</b>	Derivative of type: xs:string
<b>Format</b>	Min. length=1 Max. length=1
<b>Source</b>	<code>&lt;xs:simpleType name="Max1Text" &gt;   &lt;xs:restriction base="xs:string" &gt;     &lt;xs:whiteSpace value="collapse" /&gt;     &lt;xs:minLength value="1" /&gt;   &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt;</code>

	<pre>&lt;xs:maxLength value="1" /&gt; &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt;</pre>
<b>Max2Text- Text (simple type)</b>	
<b>Description</b>	Maximum 2 characters text
<b>Type</b>	Derivative of type: xs:string
<b>Format</b>	Min. length=1 Max. length=2
<b>Source</b>	<pre>&lt;xs:simpleType name="Max2Text" &gt;   &lt;xs:restriction base="xs:string" &gt;     &lt;xs:whiteSpace value="collapse" /&gt;     &lt;xs:minLength value="1" /&gt;     &lt;xs:maxLength value="2" /&gt;   &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt;</pre>
<b>Max4Text- Text (simple type)</b>	
<b>Description</b>	Maximum 4 characters text
<b>Type</b>	Derivative of type: xs:string
<b>Format</b>	Min. length=1 Max. length=4
<b>Source</b>	<pre>&lt;xs:simpleType name="Max4Text" &gt;   &lt;xs:restriction base="xs:string" &gt;     &lt;xs:whiteSpace value="collapse" /&gt;     &lt;xs:minLength value="1" /&gt;     &lt;xs:maxLength value="4" /&gt;   &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt;</pre>
<b>Max8Text- Text (simple type)</b>	
<b>Description</b>	Maximum 8 characters text
<b>Type</b>	Derivative of type: xs:string
<b>Format</b>	Min. length=1 Max. length=8
<b>Source</b>	<pre>&lt;xs:simpleType name="Max8Text" &gt;   &lt;xs:restriction base="xs:string" &gt;     &lt;xs:whiteSpace value="collapse" /&gt;     &lt;xs:minLength value="1" /&gt;     &lt;xs:maxLength value="8" /&gt;   &lt;/xs:restriction&gt;</pre>



	</xs:simpleType>
<b>Max16Text- Text (simple type)</b>	
<b>Description</b>	Maximum 16 characters text
<b>Type</b>	Derivative of type: xs:string
<b>Format</b>	Min. length=1 Max. length=16
<b>Source</b>	<pre>&lt;xs:simpleType name="Max16Text" &gt;   &lt;xs:restriction base="xs:string" &gt;     &lt;xs:minLength value="1" /&gt;     &lt;xs:maxLength value="16" /&gt;   &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt;</pre>
<b>Max16TextCollapse- Text (simple type)</b>	
<b>Description</b>	Maximum 16 characters text
<b>Type</b>	Derivative of type: xs:string
<b>Format</b>	Min. length=1 Max. length=16
<b>Source</b>	<pre>&lt;xs:simpleType name="Max16TextCollapse" &gt;   &lt;xs:restriction base="xs:string" &gt;     &lt;xs:whiteSpace value="collapse" /&gt;     &lt;xs:minLength value="1" /&gt;     &lt;xs:maxLength value="16" /&gt;   &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt;</pre>
<b>Max140Text- Text (simple type)</b>	
<b>Description</b>	Maximum 140 characters text
<b>Type</b>	Derivative of type: xs:string
<b>Format</b>	Min. length=1 Max. length=140
<b>Source</b>	<pre>&lt;xs:simpleType name="Max140Text" &gt;   &lt;xs:restriction base="xs:string" &gt;     &lt;xs:minLength value="1" /&gt;     &lt;xs:maxLength value="140" /&gt;   &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt;</pre>
<b>OperationDetails- Operation details (complex type)</b>	
<b>Description</b>	Operation details

<b>Component elements</b>	<a href="#">OprCd</a>
<b>Source</b>	<pre>&lt;xs:complexType name="OperationDetails" &gt;   &lt;xs:sequence &gt;     &lt;xs:element name="OprCd" type="Code4Text" /&gt;   &lt;/xs:sequence&gt; &lt;/xs:complexType&gt;</pre>
<b>OperationDetails/OprCd- Operation code (element)</b>	
<b>Description</b>	Operation code. Allowed values: CRTA-Creating an account; CLSA-Closing an account; SUSP-Suspending an account; CHGA-Changing account details.
<b>Type</b>	<a href="#">Code4Text</a>
<b>Source</b>	<pre>&lt;xs:element name="OprCd" type="Code4Text" /&gt;</pre>
<b>Reason- Reason (complex type)</b>	
<b>Description</b>	Reason
<b>Component elements</b>	<a href="#">RsnCd</a> {0,1} <a href="#">RsnTxt</a> {0,1}
<b>Source</b>	<pre>&lt;xs:complexType name="Reason" &gt;   &lt;xs:sequence &gt;     &lt;xs:element name="RsnCd" type="Code4Text" minOccurs="0" /&gt;     &lt;xs:element name="RsnTxt" type="Max140Text" minOccurs="0" /&gt;   &lt;/xs:sequence&gt; &lt;/xs:complexType&gt;</pre>
<b>Reason/RsnCd- Reason code (element)</b>	
<b>Description</b>	Reason code
<b>Type</b>	<a href="#">Code4Text</a>
<b>Source</b>	<pre>&lt;xs:element name="RsnCd" type="Code4Text" minOccurs="0" /&gt;</pre>
<b>Reason/RsnTxt- Reason text (element)</b>	
<b>Description</b>	Reason text
<b>Type</b>	<a href="#">Max140Text</a>
<b>Source</b>	<pre>&lt;xs:element name="RsnTxt" type="Max140Text" minOccurs="0" /&gt;</pre>
<b>RegularAccountInformation- Regular account information (complex type)</b>	
<b>Description</b>	Regular account information
<b>Component elements</b>	<a href="#">AcctTp</a> <a href="#">ClntTp</a> {0,1} <a href="#">PrtfNb</a> {0,1} <a href="#">AcctId</a> {0,1} <a href="#">AcctNm</a> {0,1} <a href="#">PrtlSttlmInd</a> {0,1}

<b>Source</b>	<pre> &lt;xs:complexType name="RegularAccountInformation" &gt;   &lt;xs:sequence &gt;     &lt;xs:element name="AcctTp" type="Max2Text" /&gt;     &lt;xs:element name="CIntTp" type="Max8Text" minOccurs="0" /&gt;     &lt;xs:element name="PrtfNb" type="Max2Text" minOccurs="0" /&gt;     &lt;xs:element name="AcctId" type="Max16TextCollapse" minOccurs="0" /&gt;     &lt;xs:element name="AcctNm" type="Max16TextCollapse" minOccurs="0" /&gt;     &lt;xs:element name="PrtlStlmInd" type="SettlementTransactionCondition5Code" minOccurs="0" maxOccurs="1" /&gt;   &lt;/xs:sequence&gt; &lt;/xs:complexType&gt; </pre>
<b>RegularAccountInformation/AcctTp- Account type (element)</b>	
<b>Description</b>	Account type
<b>Type</b>	<a href="#">Max2Text</a>
<b>Source</b>	<pre>&lt;xs:element name="AcctTp" type="Max2Text" /&gt;</pre>
<b>RegularAccountInformation/CIntTp- Client classification number (NKK) (element)</b>	
<b>Description</b>	Client classification number (NKK)
<b>Type</b>	<a href="#">Max8Text</a>
<b>Source</b>	<pre>&lt;xs:element name="CIntTp" type="Max8Text" minOccurs="0" /&gt;</pre>
<b>RegularAccountInformation/PrtfNb- Portfolio number (element)</b>	
<b>Description</b>	Portfolio number
<b>Type</b>	<a href="#">Max2Text</a>
<b>Source</b>	<pre>&lt;xs:element name="PrtfNb" type="Max2Text" minOccurs="0" /&gt;</pre>
<b>RegularAccountInformation/AcctId- Account identifier (element)</b>	
<b>Description</b>	Account identifier
<b>Type</b>	<a href="#">Max16TextCollapse</a>
<b>Source</b>	<pre>&lt;xs:element name="AcctId" type="Max16TextCollapse" minOccurs="0" /&gt;</pre>
<b>RegularAccountInformation/AcctNm- Account name (element)</b>	
<b>Description</b>	Account name, optional
<b>Type</b>	<a href="#">Max16TextCollapse</a>
<b>Source</b>	<pre>&lt;xs:element name="AcctNm" type="Max16TextCollapse" minOccurs="0" /&gt;</pre>
<b>RegularAccountInformation/PrtlStlmInd- Partial settlement indicator (element)</b>	
<b>Description</b>	Partial settlement indicator
<b>Type</b>	<a href="#">SettlementTransactionCondition5Code</a>

<b>Source</b>	<code>&lt;xs:element name="PrtlSttlmInd" type="SettlementTransactionCondition5Code" minOccurs="0" maxOccurs="1" /&gt;</code>						
<b>SettlementTransactionCondition5Code- Partial settlement indicator (simple type)</b>							
<b>Description</b>	Partial settlement indicator						
<b>Type</b>	Derivative of type: xs:string						
<b>Format</b>	<table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>PART</td> <td>Partial settlement allowed</td> </tr> <tr> <td>NPAR</td> <td>Partial settlement not allowed</td> </tr> </tbody> </table>	Code	Description	PART	Partial settlement allowed	NPAR	Partial settlement not allowed
Code	Description						
PART	Partial settlement allowed						
NPAR	Partial settlement not allowed						
<b>Source</b>	<pre> &lt;xs:simpleType name="SettlementTransactionCondition5Code" &gt;   &lt;xs:restriction base="xs:string" &gt;     &lt;xs:enumeration value="PART" /&gt;     &lt;xs:enumeration value="NPAR" /&gt;   &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt; </pre>						
<b>Status- Status (complex type)</b>							
<b>Description</b>	Status						
<b>Component elements</b>	<u>StsCd</u> <u>Rsn</u> {0,1}						
<b>Source</b>	<pre> &lt;xs:complexType name="Status" &gt;   &lt;xs:sequence &gt;     &lt;xs:element name="StsCd" type="Code4Text" /&gt;     &lt;xs:element name="Rsn" type="Reason" minOccurs="0" /&gt;   &lt;/xs:sequence&gt; &lt;/xs:complexType&gt; </pre>						
<b>Status/StsCd- Status code (element)</b>							
<b>Description</b>	Status code						
<b>Type</b>	<u>Code4Text</u>						
<b>Source</b>	<code>&lt;xs:element name="StsCd" type="Code4Text" /&gt;</code>						
<b>Status/Rsn- Reason (element)</b>							
<b>Description</b>	Reason						
<b>Type</b>	<u>Reason</u>						
<b>Source</b>	<code>&lt;xs:element name="Rsn" type="Reason" minOccurs="0" /&gt;</code>						
<b>acmt.sta.001.02- Account instruction status (complex type)</b>							
<b>Description</b>	Account instruction status						
<b>Component elements</b>	<u>Gnllnf</u> <u>OprDtls</u> {0,1} <u>AcctDtls</u> <u>Sts</u>						

<b>Source</b>	<pre> &lt;xs:complexType name="acmt.sta.001.02" &gt;   &lt;xs:sequence &gt;     &lt;xs:element name="GnlInf" type="GeneralInformation" /&gt;     &lt;xs:element name="OprDtls" type="OperationDetails" minOccurs="0" /&gt;     &lt;xs:element name="AcctDtls" type="AccountDetails" /&gt;     &lt;xs:element name="Sts" type="Status" /&gt;   &lt;/xs:sequence&gt; &lt;/xs:complexType&gt; </pre>
<b>acmt.sta.001.02/GnlInf- General information (element)</b>	
<b>Description</b>	General information
<b>Type</b>	<u>GeneralInformation</u>
<b>Source</b>	<pre>&lt;xs:element name="GnlInf" type="GeneralInformation" /&gt;</pre>
<b>acmt.sta.001.02/OprDtls- Operation details (element)</b>	
<b>Description</b>	Operation details
<b>Type</b>	<u>OperationDetails</u>
<b>Source</b>	<pre>&lt;xs:element name="OprDtls" type="OperationDetails" minOccurs="0" /&gt;</pre>
<b>acmt.sta.001.02/AcctDtls- Account details (element)</b>	
<b>Description</b>	Account details
<b>Type</b>	<u>AccountDetails</u>
<b>Source</b>	<pre>&lt;xs:element name="AcctDtls" type="AccountDetails" /&gt;</pre>
<b>acmt.sta.001.02/Sts- Status (element)</b>	
<b>Description</b>	Status
<b>Type</b>	<u>Status</u>
<b>Source</b>	<pre>&lt;xs:element name="Sts" type="Status" /&gt;</pre>